



HAI WATER SPORTS



2023

CATALOGUE

PREMIUM QUALITY

Quality is Our PRIDE

Due to the insistence on high quality and affordable pricing, Yanre Fitness stands out among manufacturers throughout China and worldwide. It's a reputation we are proud of.

RAW MATERIALS

Our attention to production quality is second to none. Our standards include using 3mm thickness pipe, using the best component parts and applying the most efficient assembly process. That's why our products stand the test of time.

AWARDS

We have received a number of awards for excellence of product quality (just list a few):

- Award for excellence in public sports in China
- Award for best enterprise
- Award for excellence in public sports in Anhui



COMMERCIAL TREADMILL TOUCH SCREEN

Model: YA75TV

FEATURES

1. The 19-inch LCD ,Touch Panel TV smart computer, equipped with the latest eight-core processor. Combine all platforms and buttons. It is an ultra-high resolution TFT touch screen system design, which provides users with a clearer and faster operating platform. Compatible with Android system; WIFI wireless network connection function; real-world interactive training program: the treadmill automatically changes the slope or speed according to the change of the actual scene;
2. Support live mode
3. Double safety switch, athletes can use wire clamp to stretch or squeeze to achieve safe shutdown operation.
4. YA75TV equipped with aluminum alloy anti-skid pedals not only increase the grade of the machine and more safety of the machine. Unlike plastic pedals and fake aluminum pedals, plastic pedals are not durable enough, and fake aluminum pedals are prone to rust.
5. Maintenance-free running board, no need maintenance for life. It is strictly forbidden to wax or lubricate running belt.
6. 3 HP AC PV: 7.0 HP
incline: 0%-15%
Speed: 0.8-22KM
Running area: 1530x560 mm
Floor area: 2135x935x1580mm
Gross weight: 204kg Net weight: 184.5kg Maximum load: 180KG



COMMERCIAL TREADMILL

Model: YA75

FEATURES

1. The display panel adopts high-definition LED display, the parameter partition display, the reading is more clear.
2. The buttons equipped with light-sensitive touch technology. The finger can be placed at a distance of 2 mm to perceive and control the treadmill. The new light-sensitive button design no need replacement of the panel after long time using. It does not need to be pressed hard, and can be operated by only a light touch. For the part of digital input, the innovation adopts digital technology, allowing users to input the numbers they want.
3. The instrument panel is made of acrylic plate material, which has high strength and durability, which solves the problem of key damage after long time.
4. incline adjustment takes 0.1 as a level to make the sports data more precise. The traditional adjustment level is 1.
5. Double safety switch, Users can use wire clamp to stretch or squeeze to achieve safe shutdown operation.
6. YA75 equipped with aluminum alloy anti-skid pedals not only increase the grade of the machine and the safety of the machine. Unlike plastic pedals and fake aluminum pedals, plastic pedals are not durable enough, and fake aluminum pedals are prone to rust
7. 3 HP AC PV: 7.0 HP
 incline: -3%-15% Speed: 0.8-22 km/h
 Footprint: 2280 x 990x 1650 mm
 Running area: 550 x 1575 mm
 Gross weight: 220 KGS Net weight: 196 KGS
 Maximum load: 180kg



Commercial Treadmill with touch screen

Model: YV8T

FEATURES

1. Console:19.5" Touch screen with fans,
Heart rate: Display heart rate through touching handles with your double hands;
Function: Display speed, distance, time, slope, heart rate, calorie and procedure establishment;
Program:12 groups of speed preset programs using the internationalization standard pattern;
*airbag system for anti-shock
Max user weight:180 kg/ 395lbs;
Machine size(L*W*H):2000*879*1625mm;
Applicable running area:1450*560mm;
2. G.W./ N.W:162kgs/178kgs.
3. 2 HP AC PV: 5.0 HP
4. 0.8-20km/h 0-18% incline
5. 19pcs/20'GP 40pcs/40'HQ



Commercial Treadmill with touch screen

Model: YV9T

FEATURES

1. Console: 21.5" Touch screen with fans,
Heart rate: Display heart rate through touching handles with your double hands;
Function: Display speed, distance, time, slope, heart rate, calorie and procedure establishment;
Program: 12 groups of speed preset programs using the internationalization standard pattern;
*airbag system for anti-shock
Max user weight: 180 kg / 395lbs;
Machine size (L*W*H): 2083*982*1620mm;
Applicable running area: 1550*585mm;
2. G.W./ N.W: 242.2kgs/217.5kgs.
3. 3 HP AC PV: 7.0 HP
4. 0.8-20km/h 0-21% incline
5. 19pcs/20'GP 40pcs/40'HQ



Commercial treadmill

Model: YV9

FEATURES

Console:LED with fans

Heart rate:Display heart rate through touching handles with your doue hands;

Function: Display speed, distance, time, slope, heart rate, calorie and procedure establishment;

Program:12 groups of speed preset programs using the internationalization standard pattern;

*airbag system for anti-shock

Max user weight:180 kg/ 395lbs;

Machine size(L*W*H):2083*982*1620mm;

Applicable running area:1550×585mm;

G.W./ N.W.:242.2kgs/217.5kgs.

1. 3 HP AC PV: 7.0 HP
2. 0.8-20km/h 0-21% incline
3. 19pcs/20'GP 40pcs/40'HQ



Commercial treadmill

Model: YV8

FEATURES

Console:LED with fans

Heart rate:Display heart rate through touching handles with your doue hands;

Function: Display speed, distance, time, slope, heart rate, calorie and procedure establishment;

Program:12 groups of speed preset programs using the internationalization standard pattern;

*airbag system for anti-shock

Max user weight:180 kg/ 395lbs;

Machine size(L*W*H):2000*879*1625mm;

Applicable running area:1450*560mm;

G.W./N.W:159kgs/175kgs.

1. 2 HP AC PV: 5.0 HP
2. 0.8-20km/h 0-18% incline
3. 19pcs/20'GP 40pcs/40'HQ



COMMERCIAL TREADMILL

Model: Hero-8000

FEATURES

LED console

Belt adjusted automatically

Motor belt adjusted automatically

Fan included

Speed : 1-20 km/h

Incline : 0-20%

Motor: AC motor

House power: Continuous 3.0 HP

Peak: 7.0HP

N.W 233 kg G.W: 287 k

Running belt: 580(width)×3460(perimeter)mm,

Installation size:2370*930*1600 mm

Package Size: 2310×1120×700 mm



Curved Treadmill

Model: Hero-8008

FEATURES

Resistance: 1-8 magnet resistance

Sports: 3 sports mode

Running Area :1500*430mm

Speed : 1-20 km/h

Capacity: 180kg

Installation size: 2000*900*1530mm

Package Size:1850*1050*650mm

N.W: 155 kg

G.W: 175 kg



Stair master

Model: YJSM

FEATURES

1. AC220V±10%/AC110±10%
2. Degree:0-15
3. Wire line specification:10A,AC250V
4. Stepper area:56*23.5*22cm
5. Operation speed:15 steppers/min-164steppers/min
6. Max user weight:160kg
7. N.W:190kg,G.W:240KG
8. Time display range:0.00-99.59
9. Heart display range:0-999
10. Mile range:0-999
11. Size:146*82*208cm
12. Carton size:137*96*130cm



Generator EMS Bike

Model: Y2000

FEATURES

1. regular LCD with backlight computer
2. Multiple Display for 12 Program Profiles + 4 user's memory, "Speed", "Rpm", "Time", "Distance", "Watt", "Calories", "Pulse" with "Watt Control", "heart Rate Control" and special "Recovery" function
3. EMS bike with self- generating power system
4. With High Power Magnet and Flywheel to get sufficient tension torque and consistent resistance
5. With 16-step tension control system
6. With Hand-Pulse System for Heart Rate Display
7. Container loading: 50 pcs / 20' FCL, 110 pcs / 40' FCL, 110 pcs / 40' HQ
8. Certificate: GS

SPECIFICATIONS

Carton Size: 1250 * 580 * 780 mm

Set up size: 1120 * 570 * 1380 mm

Net Weight: 56 KGS, Gross Weight: 76 KGS

Max user weight: 150 kg



Generator EMS Walk-Thru Recumbent

Model: Y3000

FEATURES

1. Regular LCD with backlight computer"
2. Multiple Display for 12 Program Profiles+4 user's memory, "Speed", "Rpm", "Time", "Distance", "Watt", "Calories", "Pulse"with"Watt Control", "heart Rate Control"and special"Recovery"function
3. EMS bike with self- generating power system
4. With High-Power Magnet and Flywheel to get sufficient tension torque and consistent resistance
5. With 16-step tension control system
6. With Hand-Pulse System for Heart Rate Display
7. Container loading: 30 pcs / 20' FCL, 65 pcs / 40' FCL, 75 pcs / 40' HQ
8. Certificate: GS

SPECIFICATIONS

Carton Size: 1700*740*1380 mm

Set up size: 1750*580*850 mm

Net Weight: 80 KGS, Gross Weight: 105 KG

Max user weight: 150 kg



Generator EMS Elliptical

Model: Y5000

FEATURES

1. With regular LCD with backlight computer "SR 6600", computer Optional
2. Multiple Display for 12 Program Profiles+4 user's memory,"Speed","Rpm","Time","Distance","Watt","Calories","Pulse"with"Watt Control","heart Rate Control"and special"Recovery"function
3. EMS bike with self- generating power system
4. With High Power Magnet and Flywheel to get sufficient tension torque and consistent resistance
5. With 16-step tension control system
6. With Hand-Pulse System for Heart Rate Display
7. Container loading: 30 pcs / 20'FCL, 65 pcs / 40'FCL, 75 pcs / 40'HQ
8. Certificate: GS

SPECIFICATIONS

Carton Size: 2340 * 580 * 850 mm

Set up size: 2190*650*1720 mm

Net Weight: 114 KGS, Gross Weight: 144 KG

Max user weight: 150 kg



Generator EMS Bike

Model: Y2200L

FEATURES

1. With backlight computer LED display
2. Multiple Display for 12 Program Profiles+4 user's memory, "Speed", "Rpm", "Time", "Distance", "Watt", "Calories", "Pulse" with "Watt Control", "heart Rate Control" and special "Recovery" function
3. EMS bike with self- generating power system
4. With High Power Magnet and Flywheel to get sufficient tension torque and consistent resistance
5. With 16-step tension control system
6. With Hand-Pulse System for Heart Rate Display
7. Container loading: 60 pcs / 20' FCL, 131 pcs / 40' FCL, 162 pcs / 40' HQ
8. Certificate: GS

SPECIFICATIONS

Carton Size: 1300*390*850 mm

Set up size: 1190*570*1460 mm

Net Weight: 56 KGS Gross Weight: 76 KGS

Max user weight: 150 kg



Generator EMS Walk-Thru Recumbent

Model: Y3200L

FEATURES

1. with backlight computer LED display
2. Multiple Display for 12 Program Profiles+4 user's memory, "Speed", "Rpm", "Time", "Distance", "Watt", "Calories", "Pulse" with "Watt Control", "heart Rate Control" and special "Recovery" function
3. EMS bike with self- generating power system
4. With High Power Magnet and Flywheel to get sufficient tension torque and consistent resistance
5. With 16-step tension control system
6. With Hand-Pulse System for Heart Rate Display
7. Container loading: 18 pcs / 20' FCL, 36 pcs / 40' FCL, 54 pcs / 40' HQ
8. Certificate: GS

SPECIFICATIONS

Carton Size: 1860*660*880 mm

Set up size: 1700*740*1380 mm

Net Weight: 80 KGS, Gross Weight: 105 KGS

Max user weight: 150 kgs



Generator EMS Elliptical

Model: Y5200L

FEATURES

1. With backlight computer LED display
2. Multiple Display for 12 Program Profiles+4 user's memory, "Speed", "Rpm", "Time", "Distance", "Watt", "Calories", "Pulse" with "Watt Control", "heart Rate Control" and special "Recovery" function
3. EMS bike with self-generating power system
4. With High Power Magnet and Flywheel to get sufficient tension torque and consistent resistance
5. With 16-step tension control system
6. With Hand-Pulse System for Heart Rate Display
7. Container loading: 16 pcs / 20' FCL, 34 pcs / 40' FCL, 51 pcs / 40' HQ
8. Certificate: GS

SPECIFICATIONS

Carton Size: 2260*670*880 mm

Set up size: 2190*690*1880 mm

Net Weight: 114 KGS, Gross Weight: 144 KGS

Max user weight: 150 kg



EMS Stepper

Model: Y800

FEATURES

1. With regular LCD with backlight computer
2. Multiple Display for 12 Program Profiles+4 user's memory, "Speed", "Rpm", "Time", "Distance", "Watt", "Calories", "Pulse" with "Watt Control", "heart Rate Control"
3. and special "Recovery" function.
4. EMS power system, with 18V transformer .
5. With High Power Magnet and Flywheel to get sufficient tension torque and consistent resistance.
6. With 16-step tension control system
7. With Hand-Pulse System for Heart Rate Display.
8. Container loading: 40pcs / 20' FCL, 85pcs / 40' FCL, 95pcs / 40' HQ

SPECIFICATIONS

Carton Size: 1370*600*865 mm

Set up size: 1300*950*1860 mm

Net Weight: 78 KGS, Gross Weight: 98KGS

Max user weight: 150kgs



Rowing Machine

Model: YR500

FEATURES

1. Equipped with big size 118*178*21mm LED, dual color display
2. 1-16 resistance adjustment
3. 230V50HZ 9VDC500mA
4. Plug needed
5. Display: Time, distance, speed, Calories, heart beat, age, weights, height, gender, and training metod

Package size: A: 1550*90*180mm B:1050*440*990mm

Assembled size: 1530*460*1800mm

N.W:55KG, G.W:60KG

Max user: 150kg



AIR ROWER

Model: YR400

FEATURES

Regular LCD display

Multi display: Calories/Speed/Time/Distance/Watts/RPM/

10 resistances adjustments

Alluminum alloy track

Easy foldable



SPECIFICATIONS

N.W.:27kgs G.W.:30kgs

Installation size: 635*838*1372mm

Occupied size: 2740*1220mm

Package size: 1440*430*560mm

Air Bike

Model: YAB200

FEATURES

1. Regular LCD with backlight computer,
2. Multiple Display "Speed", "Rpm", "Time", "Distance", "Recovery" function
3. Chain structure
4. Wind resistance control system, The air volume can be adjusted. W/O transformer
5. Fan Dimensions: 26 inch
6. The resistances depend on the speed of the stamped.
7. Container loading: 68 pcs / 20' FCL, 146 pcs / 40' FCL, 164 pcs / 40' HQ

SPECIFICATIONS

Carton Size: 1283*279*89.5mm

Set up size: 1250*540*1200mm

Net Weight: 43KGS, Gross Weight: 50KGS

Max user weight: 160kgs



Air Bike

Model: YAB100

FEATURES

1. 7 training molds LCD display
2. Multi display: Calories/Speed/Time/Distance/Watts/RPM/
3. 27" steel made fan
4. Ergonomic sweatproof seat
5. The resistances depend on the speed of the stamped
6. Chain Structure.
7. Loading Qty: 216pcs/40'HQ,172pcs/40'GP,76pcs/20'GP

SPECIFICATIONS

Carton Size: 1100*250*900mm

Set up size: 1200*610*1300mm

Net Weight: 28KGS, Gross Weight: 30KGS

Max user weight: 160kgs



Air Bike

Model: YSK100

FEATURES

Regular LCD display

Multi display: Calories/Speed/Time/Distance/Watts/RPM/
10 resistances adjustments

SPECIFICATIONS

Carton Size: 1330*680*580mm

Set up size: 1300*600*2140mm

Net Weight: 38KGS, Gross Weight: 45KGS

Max user weight: 200kgs



Flywheel

Model: SP-6514

FEATURES

1. Adjustable handle, up and down, back and forth, using aluminum alloy material, and equipped with water bottle holder and waterproof mobile phone protective cover
2. The seat bracket adopts aluminum alloy with oxidation treatment, can be adjusted up and down, back and forth,
3. Full shroud design, high-strength ABS plastic cover, removable, easy to install
4. Belt drive, low noise, widened belt
5. Maintenance-free foot pedal, dual-bearing transmission foot pedal, ABS crank, equipped with ABS crank widening cover,
6. Machine size: 1160*595*1220mm
7. Packing size: 1100*250*850mm, Flywheel weight: 23kg, Admiralty gross weight: 70kg/73kg, Bottom axle: 42mm, Pedal: 20mm,
8. Famous brand bearing,
9. Maximum user: 150kg



Spin bike commercial

Model: SP-6511

FEATURES

1. Main frame adopts 50*100*2.0mm and 40*80*2mm pipe. Ergonomic design, smooth workout.
2. 20kg chromed flywheel
3. Seat can be adjusted up and down, back for forth
4. Competition handle design with up and down adjustments, dip vinyl finishing
5. N.W:62KG, G.W:70KG
6. Chain driven. Chain is Taiwan made high strength which can bare 2000kg pull
7. Bottom bracket : 25MM diameter
8. Foot pedal are made in Taiwan,
9. Package size: 1150*320*960mm
10. Installation size: 1150*500*1100mm
11. Color: Red, Grey, Black and Yellow

SPECIFICATIONS



Spin bike commercial

Model: SP-6519

FEATURES

1. Main frame: Flat oval tube: 40*97*2mm, square tube: 30*70*2mm
2. Chromed 20kg flywheel,
3. Using high-strength and high-quality solid block
4. Non-slip and wear-resistant handle, the handle can be adjusted up and down and back and forth
5. Net weight/gross weight: 60kg/66kg
6. Packing size: 1170*320*970mm
7. Footprint: 1150*550*1100mm

SPECIFICATIONS

Carton Size: 1085*255*905 mm

Set up size: 1150*500*1100 mm



Commercial Spin bike

Model: SP-C509

FEATURES

Main frame: Three layers powder coating

Handle: Equipped with double bottle holder, mobile phone holder, PVC advanced plastic dipping process, adjustable front and rear

Resistance system: Top brake system, cowhide

Seat : Adjustable, up, down, back and forth. Equipped with famous brand Taiwan Vile Professional Mountain Bike Cushion

Pedal: Taiwan imported JD037 Advanced Commercial

Aluminum Alloy Bearing Foot

Bottom bracket : 25MM diameter

Product assembly size

1270*500*890MM

Package dimensions

1110*265*890MM

Flywheel: 20KG aluminum flywheel

transmission

5PK belt for industrial grade

Cages

PVC Advanced Dip Plastic Double Kettle Rack

Gross/net weight

73kg/67kg

Max user: 150kg



Commercial Spin bike

Model: SP-D501

FEATURES

Main frame: Three layers powder coating

Handle: Equipped with double bottle holder, mobile phone holder, PVC advanced plastic dipping process, adjustable front and rear

Resistance system: Top brake system, cowhide

Seat : Adjustable, up, down, back and forth. Equipped with famous brand Taiwan Ville Professional Mountain Bike Cushion

Pedal: Taiwan imported JD037 Advanced Commercial

Aluminum Alloy Bearing Foot

Bottom bracket : 25MM diameter

Product assembly size

1270*500*890MM

Package dimensions

1110*265*890MM

Flywheel: 16KG aluminum flywheel

transmission

5PK belt for industrial grade

Cages

PVC Advanced Dip Plastic Double Kettle Rack

Gross/net weight

68kg/62kg

Max user: 135kg

SPECIFICATIONS

N.W.:150kgs / 331 lb s G.W.:200kgs/441lbs

Installation size: 1600*1620*1600mm/63*64*63in



Commerical Spin bike

Model: SP-D577

FEATURES

Competition handle design, dip vinyl cover
Resistance system: Friction-type wool sticky, top brake system;
Seat can be adjusted up and down, front and back, electroplating finishing
Seat: Black padded mountain bike seat cushion;
Foot pedal: Aluminum foot pedal
Product assembly size 1185*530*1320mm
Packing size 1075*230*940mm
Flywheel 20KG cast iron chrome-plated flywheel
Transmission 5PK belt for industrial grade
Water bottle rack pp double water bottle rack
Display: time, speed, heartbeat, distance, calories
Gross/net weight 61kg/56kg
Max user: 100kg

SPECIFICATIONS

N.W.:150kgs / 331 lb s G.W.:200kgs/441lbs

Installation size: 1600*1620*1600mm/63*64*63in



Commercial Spin bike

Model: SP-D578

FEATURES

Competition handle design, dip vinyl cover
Resistance system: Friction-type wool sticky, top brake system;
Seat can be adjusted up and down, front and back, electroplating finishing
Seat: Black padded mountain bike seat cushion;
Foot pedal: Aluminum foot pedal
Product assembly size 1185*530*1320mm
Packing size 1075*230*940mm
Flywheel 20KG cast iron chrome-plated flywheel
Transmission 5PK belt for industrial grade
Water bottle rack pp double water bottle rack
Display: time, speed, heartbeat, distance, calories
Gross/net weight 61kg/56kg
Max user: 100kg

SPECIFICATIONS

N.W.:150kgs / 331 lb s G.W.:200kgs/441lbs

Installation size: 1600*1620*1600mm/63*64*63in



Light Commercial Spin bike

Model: SP-C580

FEATURES

Handle: Four-claw racing armrest, dip vinyl cover, equipped with mobile phone holder
Resistance system Friction-type wool sticky, top brake system;
Seat can be adjusted up and down, front and back, electroplating finishing
Seat : Black padded mountain bike seat cushion;
All aluminum pedals
Axis diameter 20MM;
Product assembly size 1110*525*1250MM
Packing size 1045*225*910MM
Flywheel 8KG cast iron flywheel
Transmission 5PK belt for industrial grade
Bottle cage Aluminum bottle cage
Display: speed, heartbeat, time, distance, calories
Gross/net weight 54kg/49kg
Max user: 120kg

SPECIFICATIONS


N.W.:150kgs / 331 lb s G.W.:200kgs/441lbs

Installation size: 1600*1620*1600mm/63*64*63in





HAI WATER SPORTS



<https://haikayak.com>



Tổ 94 – Khu Đồn Điền –
Phường Hả Kh ầu – TP Hạ
Long- Quảng Ninh



hoc@haiwatersports.vn



0937.514.548